

Heritage

WORKTOPS

ELEGANT | DURABLE | VERSATILE



Kitchen Worktops
of Timeless Beauty



Looking Good,
Feeling Great.



Welcome classic style into your home with the Heritage range of naturally beautiful worktops. Inspired by nature, the Heritage range provides a select palette of stones and woodgrains that will provide that touch of individual expression. Designed for contemporary living, Heritage worktops possess an enduring quality of style and functionality that will stand the test of time. Available in both 'square edged' and traditional 'bullnose' profiles, the Heritage worktop range has the versatility of style, shape and form to fit seamlessly into your dream kitchen.




DRIFTWOOD
40mm Square Edged

Make a Lasting Impression

The Heritage range of worktops combine elegance and beauty with practical durability. Not only will your worktop impress for its look and feel but will also withstand the rigours of modern living. Heritage worktops come in two profiles; avail of either the sleek and versatile square edged profile or the more traditional 'bullnose' worktops edged profile.



ENGLISH OAK
40mm Square Edged





Features & Specifications

1. Worktops

Create a statement in your kitchen with a beautiful Heritage worktop. Expertly edged on all four sides, the range offers a beautiful centrepiece for your kitchen with a wide variety of choice. Heritage comes in thicknesses of 40mm and 25mm, in order to achieve the perfect look, whatever it might be. Heritage worktops come in 4050 lengths as standard with widths of 650mm and 900mm, and of course a postform standard 600mm.

2. Decorative End Panels

Decorative End Panels upgrade your look with a variety of design styles. Add a finished touch to your cabinet layout with Decorative End Panels.

3. Window Sills

Small details can make all the difference and colour coordinating your window sills with your other Heritage panels helps create a seamless effect. This can often be achieved from offcuts, we can even make a custom made solution for you.

4. Upstands (Multipurpose Panel)

Heritage Upstands offer a stylish and cost effective alternative to tiling, producing a seamless finish with the worktop. Combine upstands with a backsplash to enhance and complete the great look. Available in 3600mm x 350mm x 18mm, Upstands consist of an 18mm chipboard and are supplied square edged with a laminate face and back. Your fitters will love this addition to make their work easier, while offering the customer a "complete look" to your design.



LUNAR GREY
40mm Square Edged

5. Cupboard Framing

A simple way to add more continuity to your new kitchen, the 25mm panels are a great option when it comes to framing your wall cupboards. Many designs incorporate an under counter open "bookcase" style unit made from Heritage wide range of panels.

6. Splashbacks

Create a practical, great-looking addition to your kitchen design. Available in the following size: 3000mm x 1200mm x 8mm, Heritage

splashbacks consist of a 6mm MDF with a laminate face and a scarified laminate balancer, square cut with no edging. Tile trims can be selected for any exposed edges.

7. Breakfast Bar / Island Units

Transform your kitchen with a beautiful Heritage worktop to suit your island unit. As Heritage worktops are edged on all four sides, adjust the length of your unit to suit your needs and use the remaining material to cleverly provide a perfect finish. Why not have us make

you a custom made solution. Factory finished, edging to any shape or size.

OTHER DESIGN USES

Utilise Every Space

As Heritage worktops and panels are edged on both sides, they are perfect for that little bit of shelving or alternatively why not create an open cupboard area.

Heritage offers a complete range of panels to make your life easier and add a bespoke feel to your design.

Not Just Worktops

Heritage is a range of matching panels that can be selected to enhance and design.

DESIGNERS: Using Heritage panel systems allows you the freedom to enhance your own designs with a full range of options. Our upstand - multipurpose panel is 350mm wide so you decide on the ideal height of the upstands, or use this panel for open shelving or window boards. The options are greatly increased.

INSTALLERS: Because the panels are factory finished with digitally matched polypropylene edging, you can 'rip and fit' this product in a fraction of the time.

CONSUMERS: All materials in the Heritage range of panels are selected for their quality to offer you a lifetime of enjoyment, we have included the most popular up-to-the-minute design choices on new innovative textures. This not only gives you the look, but a unique 'feel' to your chosen worksurface.

 **Heritage**
WORKTOPS



Exceptional elegance in modern but timeless designs

The Heritage panel system adopts to modern living where your kitchen is your cooking space, but also your place to relax and enjoy.

We have taken great care to select the best decors for you to choose from but also innovative new textures.

Heritage is both a look and feel experience. Our Fusion texture on the woodgrains is specially chosen to give an authentic wood look to our panels. The real experience is also to run your hand on the surface and feel the surface for yourself.

COLONIAL OAK
40mm Square Edged


BALTIC OAK



Scale 1:20 (approx.)



ENGLISH OAK



Scale 1:20 (approx.)


BUTCHER'S BLOCK



Scale 1:20 (approx.)




DRIFTWOOD



Scale 1:20 (approx.)

COLONIAL OAK

Scale 1:20 (approx.)



HAMPSHIRE



Scale 1:20 (approx.)

SAHARA SAND

Décor Options & Textures

a range of versatile panels....



Baltic Oak | *Fusion*



English Oak | *Fusion*



Butcher's Block | *Pearl*



Driftwood | *Fusion*



Colonial Oak | *Fusion*




Black Forest | *Fusion*



Hampshire | *Fusion*



Lunar Grey | *Quarry*



Soft Speckle | *Pearl*



Buffalo | *Stone*



Sahara Sand | *Quarry*



Carbon Black | *Quarry*



Pearl



Fusion



Quarry



Stone

Worktops

Décor Name	Texture	Price Band	Postform	Square Edged			
			40mm	40mm		25mm	
			4100 x 600mm	4050 x 650mm	4050 x 900mm	4050 x 650mm	4050 x 900mm
Baltic Oak	Fusion	B	■	■	■	■	■
English Oak	Fusion	B	■	■	■	■	■
Butcher's Block	Pearl	A	■	■	■	■	■
Driftwood	Fusion	B	■	■	■	■	■
Colonial Oak	Fusion	B	■	■	■	■	■
Black Forest	Fusion	B	■	■	■	■	■
Hampshire	Fusion	B	■	■	■	■	■
Lunar Grey	Quarry	A	■	■	■	■	■
Soft Speckle	Pearl	A	■	■	■	■	■
Buffalo	Stone	A	■	■	■	■	■
Sahara Sand	Quarry	B	■	■	■	■	■
Carbon Black	Quarry	A	■	■	■	■	■

Accessories

Décor Name	Texture	Price Band	Uprand/ Multipurpose Panel 3600 x 350 x 18mm	Backsplash 3000 x 1200 x 8mm	Additional Edging 1 metre & 5 metre
Baltic Oak	Fusion	B	■	■	■
English Oak	Fusion	B	■	■	■
Butcher's Block	Pearl	A	■	■	■
Driftwood	Fusion	B	■	■	■
Colonial Oak	Fusion	B	■	■	■
Black Forest	Fusion	B	■	■	■
Hampshire	Fusion	B	■	■	■
Lunar Grey	Quarry	A	■	■	■
Soft Speckle	Pearl	A	■	■	■
Buffalo	Stone	A	■	■	■
Sahara Sand	Quarry	B	■	■	■
Carbon Black	Quarry	A	■	■	■



ELEGANT | DURABLE | VERSATILE

IRELAND

Web: www.heritageworktops.ie

Email: sales@heritageworktops.ie

UK

Web: www.heritageworktops.co.uk

Email: sales@heritageworktops.co.uk

Recommended Distributor:




Whilst every effort has been made to accurately represent colour and textures, we are unable to guarantee an exact match due to the limitations of the printing process.

Worktop Care & Maintenance Sheet

HOW TO CARE FOR YOUR WORK SURFACE.

The following is a Care & Maintenance Guide only. The information presents the most effective ways of fitting and caring for your worktop. This sheet must be read by the fitter and then left with the end consumer, as the warranty is only valid if guidelines as described are followed.

THINGS TO DO AND THINGS TO AVOID

	Things To Do	Things To Avoid	CLEANING:
 <p>HEAT</p>	<p>To prevent damage from hot objects, use heat resistant mats on the surface of the worktop. Always use ashtrays for cigarettes. We do not recommend using gas hobs with our Upstands or Splashback range.</p>	<p>Never place objects from the oven or hob directly onto the laminate surface since this may lead to blistering. Care should also be taken with hot irons and cigarettes.</p>	<p>General cleaning of the surface requires only a damp cloth & a mild detergent or non abrasive cleaner diluted in warm water. Some strong chemicals, dyes and fruit juices may harm your Heritage work surface.</p> <p>In the event of spillage always wipe up, rinse & dry the area thoroughly. Do not leave liquids lying on the surface. They may seep through a joint and affect the core board.</p> <p>Note: Prolonged contact with some PVC aprons may promote premature wear of the work surface. Abrasive scouring powders, creams and even polishes should all be avoided.</p>
 <p>SCRATCHING</p>	<p>Always use a chopping board for preparing food.</p>	<p>Some crockery items, kitchen utensils and other objects sliding across your worktops will produce fine scratches in the laminate. Try to avoid sliding rough based objects across the surface. Never cut foodstuffs directly on the laminate surface.</p>	
 <p>MOISTURE</p>	<p>Wipe spilt liquids away from joints and cut-outs immediately. Ensure that all inset appliances are properly sealed with a suitable waterproof silicone sealant.</p>	<p>Moisture will not harm the laminate surface itself but it is advisable to wipe away any spillages as soon as possible. The critical areas are around joints and cut-outs.</p>	

CLEANING:

General cleaning of the surface requires only a damp cloth & a mild detergent or non abrasive cleaner diluted in warm water. Some strong chemicals, dyes and fruit juices may harm your Heritage work surface.

In the event of spillage always wipe up, rinse & dry the area thoroughly. Do not leave liquids lying on the surface. They may seep through a joint and affect the core board.

Note: Prolonged contact with some PVC aprons may promote premature wear of the work surface. Abrasive scouring powders, creams and even polishes should all be avoided.

WEAR RESISTANCE:

Heritage worktops provide a hard wearing surface. However, the surface will be damaged by scratching of sharp knives or other sharp utensils. It is recommended that a cutting board or protective mat be used when using such implements.

CAUTION HEAVY: Please use the appropriate safety clothing and lifting equipment. Protective gloves must be worn whilst handling worktops.

LIFETIME WARRANTY:



Heritage worktops have a lifetime warranty against manufacturing defects. The manufacturer undertakes to make good by repair and/or replacement (at its own discretion) any worktop shown to have failed by any reason of defects in design, materials or workmanship. This warranty is subject to fair wear and tear and providing that the installation, care and maintenance instructions have been followed and that the product has been properly used for its intended purpose. The worktop warranty becomes void once the postform edge is cut off. This undertaking is in addition to the consumers' statutory rights and does not affect those rights in any way. This warranty covers domestic installations only. No claims for replacement costs will be entertained if the worktop is not fully inspected before

Worktop Fitting & Installation for



Thank you for choosing your new Heritage Worktop

These guidelines are intended to help you achieve the best possible results from your laminate worktop. Please ensure that you are completely satisfied with the product by checking for damage or defects prior to fitting. Heritage Worktops cannot accept responsibility for the final fitting of your worktop. The colour surface should be checked for compatibility before fitting takes place. We will not accept any claims for refitting costs resulting from mis-match of colour or surface finish flaws.



CUTTING:

As a general rule, best results are achieved when the worktop is cut 5mm oversize, using either a portable power saw (decorative side face down) or with a hand saw (decorative side face up). For power saws, jig saws and circular saws which cut with an upward angle, cut from the underside, always check measurements prior to cutting. In regard to cut outs for appliances and sinks, ensure that appliances and sinks are inset into the work surface and are overlapped by at least 15mm.

To prevent stress cracking ensure that all corners are cut with a minimum radius of 6mm. If you are using a hand saw then cut on the laminate side, you can mark with a soft pencil on the laminate face. Apply pressure on the downward stroke to avoid chipping, holding the saw almost vertically to the top.

The worktop should always be supported during all cutting, drilling or sawing. All tools used should be sharp and safety goggles & gloves should be used.

JOINTING & CUTOUTS:

While the surface laminate is impervious to water, the core material and adhesive may become affected by moisture. It is therefore, essential that all cutouts, joints and exposed areas are sealed correctly, with a silicone sealant or a contact adhesive. Failure to properly seal the vulnerable area shall lead to moisture ingress to the core and no claims for damages may be upheld if proper sealing is not in place.

With Heritage worktops please remove all edging prior to joining worktops together and seal as above. When jointing the work surface and making sink cutouts, the edges, all exposed areas and cutouts must be sealed with silicone.

TILES:

When tiling above a worktop a space of at least 3mm should be left between the surface of the worktop and the bottom row of tiles for easy removal of the top.

UPSTANDS:

Once cut to size and edged, the upstands can then be fixed. The upstand must be fixed to the wall which your worktop backs on to. Fix the upstand with wall panel adhesive, following the adhesive manufacturer's instructions to ensure a good bond. They can then be sealed using silicone sealer. Seal the area where the upstand meets the worktop and where the upstand meets the wall. We do not recommend using gas hobs with our Upstands or Splashback range.

EQUIPMENT CHECKLIST:

SAFETY EQUIPMENT, YOU WILL NEED:
Dust mask, safety goggles & gloves.

CUTTING TO SIZE, YOU WILL NEED:
Measuring tape, pencil, portable power saw (if available), straight edge, two G clamps and a fine toothed hand saw. A portable hand router can also be used to produce a cleaner cut edge.

CUTTING INTERNAL APERTURES, YOU WILL NEED :
25mm paint brush, PVA adhesive, junior hacksaw, electric iron, trimming machine (if available), hand plane and 250mm smooth file.